






Circuit Diagram






PCB Layout(Pattern side)

NOTE:
Rating: DC 5V 0.1~1mA
Operating Force: 36gf Max
Lifetime: 100,000 Cycles




PART NO.	H
K5-1130DG-01	8.5
K5-1130DG-02	9.5
K5-1130DG-03	11.0

⑤	Contact Spring	——	1	Phosphor Bronze	Ag Plated	——
④	Terminal	——	4	Brass	Ag Plated	——
③	Base	——	1	PA	Black	——
②	Cover	——	1	PA	Black	——
①	Knob	——	1	PA	Black	——
ITEM	PART NAME	TER'NO.	QTY.	MATERIAL	FINISHING	REMARK
APPROVALS			DATE		LCZY ELECTRONICS(SHEN ZHEN)CO.,LTD	
DRAWN		S.L.L	2020.1.05			
CHECKED				TITLE:		DETECTOR SWITCHS
APPROVALS				PART NO.		K5-1130DG-□□
TOLERANCES ARE		30~以上	±0.30	ANGLE	UNIT: mm	SCALE: 1:1
		10~30	±0.20			
		5~10	±0.15			
		~ 5	±0.10	±2'	DRAWING NO.	
				PROJECT		SHEET 1 OF 1

—	A	—	NEW	—	—	—
ECN NO.	REV.	DATE.	DESCRIPTION.	CHANGE.	CHECK.	APPRO.



Circuit Diagram



PCB Layout(Pattern side)

NOTE:
Rating: DC 5V 0.1~1mA
Operating Force: 36gf Max
Lifetime: 100,000 Cycles


PART NO.	H
K5-1130SG-01	8.5
K5-1130SG-02	9.5
K5-1130SG-03	11.0

⑤	Contact Spring	—	1	Phosphor Bronze	Ag Plated	—
④	Terminal	—	4	Brass	Ag Plated	—
③	Base	—	1	PA	Black	—
②	Cover	—	1	PA	Black	—
①	Knob	—	1	PA	Black	—
ITEM	PART NAME	TER'NO.	QTY.	MATERIAL	FINISHING	REMARK
APPROVALS			DATE	LCZY ELECTRONICS(SHEN ZHEN)CO.,LTD		
DRAWN		S.L.L	2020.1.05			
CHECKED				TITLE:	DETECTOR SWITCHS	
APPROVALS				PART NO.	K5-1130SG-□□	
TOLERANCES ARE		30~以上	±0.30	ANGLE	UNIT: mm	SCALE: 1:1
		10~30	±0.20			
		5~10	±0.15			
		~ 5	±0.10	±2°	DRAWING NO.	SHEET 1 OF 1

—	A	—	NEW	—	—	—
ECN NO.	REV.	DATE.	DESCRIPTION.	CHANGE.	CHECK.	APPRO.

包装：卡通箱
转轴：聚丙烯
载带：聚丙烯

PART NO.	H	每卷数量
K5-1130SG-01	8.5	600pcs
K5-1130SG-02	9.5	500pcs
K5-1130SG-03	11.0	500pcs



APPROVALS		DATE	LCZY ELECTRONICS(SHEN ZHEN)CO.,LTD		
DRAWN	S.L.L	2020.1.05	TITLE:	DETECTOR SWITCHS	
CHECKED			PART NO.	K5-1130SG-□□	
APPROVALS			UNIT: mm	SCALE: 1:1	PROJ:
TOLERANCES ARE		30~以上	±0.30	ANGLE	±2°
		10~30	±0.20		
		5~10	±0.15	DRAWING NO.	SHEET 1 OF 1
		~ 5	±0.10		

ECN NO.	REV.	DATE.	DESCRIPTION.	CHANGE.	CHECK.	APPRO.
	A		NEW			